

Pyralis Circle

ROTATING REFRACTORY STONE

Code	Model	Dimensions LxWxH cm			
P09RN12003	PY CIRCLE	↔ 143	↗ 136	↕ 55	
	Control	Chamber height cm		Cooking surface cm	
	Digital	10		Ø100	
	Pizza Capacity	Max Temperature		Weight Kg	
	7 x Ø 33 CM / 6 x Ø 34 CM / 3 x Ø 45 CM	 450 °C		 300	
	Total Power KW	Voltage V	Phases Ph	Frequency Hz	
	16.87	400	3+N+T	50/60	



General Features

Thanks to constant rotation, Circle ensures even heat distribution across the entire surface of the pizza.

The rotating surface is composed of the ACTIVESTONE system in which the resistors are incorporated inside the refractory stone.

Digital and user-friendly control panel includes programmed ignition and shutdown function.

Practical chimney valve to manage the regulation of the flow of fumes and cooking vapors in the chamber.

Pyralis Circle

Code
P09RN12003

Model
PY CIRCLE

Accessories



SUPPORT PYRALIS CIRCLE

SUPPORT IN STAINLESS STEEL WITH SUPPORT SURFACE

	Code	Model	Size with feet cm	Size with wheels cm	Internal dimensions	Peso
	P11SP20021	SCIRCLE	143x120x105/108	143x120x106	120x97x73	50

Option

wheels

Set of 4 rotating wheels 2 with brake + 2 without brake

Code

S66RU65003



Pyralis Circle

Code

P09RN12003

Model

PY CIRCLE

Accessories



PYRALIS CIRCLE HOOD

STAINLESS STEEL HOOD SMOKE OUTLET DIAMETER 200mm



Code	Model	Voltage V	Phases Ph	Frequency Hz	Light	Dimensions cm	Peso
P13PY10008	KCIRCLE	230	1N + T	50	S	143x166x28	58

Option

EXTRACTOR HOOD MOTOR

ELECTRIC SUCTION MOTOR (POWER CONSUMPTION 110 W) With control unit for speed adjustment - power 980 m3/h



Code	Power Supply V	Phases Ph	Frequency Hz	Net weight Kg
S66MT64002	230	1N + T	50	3

